L Number	Hits	Search Text	DB	Time stamp
13	11918	application adj1 server	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 19:11
14	470	(application adj1 server) same (availability or high$5 near1 availab$5)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 19:25
15	56	((application adj1 server) same (availability or high$5 near1 availab$5)) and notifi$6 near2 (period or time or time?stamp$3 or time adj1 stamp or interval or limit)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 19:22
16	49	(((application adj1 server) same (availability or high$5 near1 availab$5)) and notifi$6 near2 (period or time or time?stamp$3 or time adj1 stamp or interval or limit)) and (load$5 or workload)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 19:10
17	38	(((application adj1 server) same (availability or high$5 near1 availab$5)) and notifi$6 near2 (period or time or time?stamp$3 or time adj1 stamp or interval or limit)) and (load$5 or workload) near3 (application or server or node)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 19:24
18	1	((application adj1 server) same (availability or high$5 near1 availab$5)) and (notifi$6 or alive or heart?beat or heartbeat or hello) near2 (signal or messag$3) near5 (stor$5 or database or record$4)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 19:20
19	12	((application adj1 server) same (availability or high$5 near1 availab$5)) and (notif$6 or alive or heart?beat or heartbeat or hello) near3 (signal or messag$3) with (stor$5 or database or record$4)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 19:21
20	59	((application adj1 server) same (availability or high$5 near1 availab$5)) and (notif$6 or alive or heart?beat or heartbeat or hello) near5 (stor$5 or database or record$4)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 19:28
21	41	(((application adj1 server) same (availability or high$5 near1 availab$5)) and (notif$6 or alive or heart?beat or heartbeat or hello) near5 (stor$5 or database or record$4)) and (notif$6 or alive or heart?beat or heartbeat or hello) near5 (period or time or time?stamp$3 or time adj1 stamp or interval or limit)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 19:47
22	41	((((application adj1 server) same (availability or high$5 near1 availab$5)) and (notif$6 or alive or heart?beat or heartbeat or hello) near5 (stor$5 or database or record$4)) and (notif$6 or alive or heart?beat or heartbeat or hello) near5 (period or time or time?stamp$3 or time adj1 stamp or interval or limit)) and (load$5 or workload) near3 (application or server or node)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 19:27

C:\APPS\EAST\Workspaces\09682046RCE.wsp

23	9	(((((application adj1 server) same (availability or high$5 near1 availab$5)) and (notif$6 or alive or heart?beat or heartbeat or hello) near5 (stor$5 or database or record$4)) and (notif$6 or alive or heart?beat or heartbeat or hello) near5 (period or time or time?stamp$3 or time adj1 stamp or interval or limit)) and (load$5 or workload) near3 (application or server or node)) not ((((application adj1 server) same (availability or high$5 near1 availab$5)) and notifi$6 near2 (period or time or time?stamp$3 or time adj1 stamp or interval or limit)) and (load$5 or workload) near3 (application or server or node))	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 19:23
24	16558	(server or node or application) with (availability or high$5 near1 availab$5)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 20:26
25	200483	"25" same (measu$5 or calculat$5)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 19:26
26	261	((server or node or application) with (availability or high$5 near1 availab$5)) with (measu$5 or calculat$5)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 21:01
27	31	(((server or node or application) with (availability or high$5 near1 availab$5)) with (measu$5 or calculat$5)) and (load$5 or workload) near5 (var$5 or adjust$5 or increas$5 or decreas$5 or modif$6)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 19:49
28	7	((((server or node or application) with (availability or high$5 near1 availab$5)) with (measu$5 or calculat$5)) and (load$5 or workload) near5 (var$5 or adjust$5 or increas$5 or decreas$5 or modif$6)) and (notif$6 or alive or heart?beat or heartbeat or hello or period or time?stamp) near5 (var$5 or adjust$5 or increas$5 or decreas$5 or modif$6)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 19:35
29	654	((server or node or application) with (availability or high$5 near1 availab$5)) same (measu$5 or calculat$5)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 19:34
30	25	(((server or node or application) with (availability or high$5 near1 availab$5)) same (measu$5 or calculat$5)) same (notif$6 or alive or heart?beat or heartbeat or hello or period or time?stamp or signal) near5 (var$5 or adjust$5 or increas$5 or decreas$5 or modif$6)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 19:57
31	100	(((server or node or application) with (availability or high$5 near1 availab$5)) same (measu$5 or calculat$5)) and (stor$5 or record$5 or database) near4 (notif$6 or alive or heart?beat or heartbeat or hello or signal)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 19:48
32	47	((((server or node or application) with (availability or high$5 near1 availab$5)) same (measu$5 or calculat$5)) and (stor$5 or record$5 or database) near4 (notif$6 or alive or heart?beat or heartbeat or hello or signal)) and (notif$6 or alive or heart?beat or heartbeat or hello or period or time?stamp or signal) near5 (var$5 or adjust$5 or increas$5 or decreas$5 or modif$6)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 19:49

C:\APPS\EAST\Workspaces\09682046RCE.wsp

33	5	(((((server or node or application) with (availability or high$5 near1 availab$5)) same (measu$5 or calculat$5)) and (stor$5 or record$5 or database) near4 (notif$6 or alive or heart?beat or heartbeat or hello or signal)) and (notif$6 or alive or heart?beat or heartbeat or hello or period or time?stamp or signal) near5 (var$5 or adjust$5 or increas$5 or decreas$5 or modif$6)) and (load$5 or workload) with (var$5 or adjust$5 or increas$5 or decreas$5 or modif$6)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 19:52
34	230	(((server or node or application) with (availability or high$5 near1 availab$5)) same (measu$5 or calculat$5)) same (period or time?stamp or time or interval or second)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 19:51
35	42	((((server or node or application) with (availability or high$5 near1 availab$5)) same (measu$5 or calculat$5)) same (period or time?stamp or time or interval or second)) and (load$5 or workload) with (var$5 or adjust$5 or increas$5 or decreas$5 or modif$6)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 19:56
36	122	(((server or node or application) with (availability or high$5 near1 availab$5)) same (measu$5 or calculat$5)) and availab$6 near5 (database or data adj1 base or storage or record)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 19:56
38	174	(((server or node or application) with (availability or high$5 near1 availab$5)) same (measu$5 or calculat$5)) and (notif$6 or alive or heart?beat or heartbeat or hello or period or time?stamp or signal) near5 (var$5 or adjust$5 or increas$5 or decreas$5 or modif$6)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 20:18
39	9	((((((server or node or application) with (availability or high$5 near1 availab$5)) same (measu$5 or calculat$5)) and availab$6 near5 (database or data adj1 base or storage or record)) and (load$5 or workload) with (var$5 or adjust$5 or increas$5 or decreas$5 or modif$6)) and ((((server or node or application) with (availability or high$5 near1 availab$5)) same (measu$5 or calculat$5)) and (notif$6 or alive or heart?beat or heartbeat or hello or period or time?stamp or signal) near5 (var$5 or adjust$5 or increas$5 or decreas$5 or modif$6))	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 20:05

40	0	(((((server or node or application) with (availability or high$5 near1 availab$5)) same (measu$5 or calculat$5)) and availab$6 near5 (database or data adj1 base or storage or record)) and (load$5 or workload) with (var$5 or adjust$5 or increas$5 or decreas$5 or modif$6)) and ((((server or node or application) with (availability or high$5 near1 availab$5)) same (measu$5 or calculat$5)) and (notif$6 or alive or heart?beat or heartbeat or hello or period or time?stamp or signal) near5 (var$5 or adjust$5 or increas$5 or decreas$5 or modif$6))) not (((((server or node or application) with (availability or high$5 near1 availab$5)) same (measu$5 or calculat$5)) and availab$6 near5 (database or data adj1 base or storage or record)) and (load$5 or workload) with (var$5 or adjust$5 or increas$5 or decreas$5 or modif$6))	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 20:01
37	25	((((server or node or application) with (availability or high$5 near1 availab$5)) same (measu$5 or calculat$5)) and availab$6 near5 (database or data adj1 base or storage or record)) and (load$5 or workload) with (var$5 or adjust$5 or increas$5 or decreas$5 or modif$6)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 20:12
41	26	((((server or node or application) with (availability or high$5 near1 availab$5)) same (measu$5 or calculat$5)) and availab$6 near5 (database or data adj1 base or storage or record)) and ((((server or node or application) with (availability or high$5 near1 availab$5)) same (measu$5 or calculat$5)) and (notif$6 or alive or heart?beat or heartbeat or hello or period or time?stamp or signal) near5 (var$5 or adjust$5 or increas$5 or decreas$5 or modif$6))	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 20:06
42	20	((((server or node or application) with (availability or high$5 near1 availab$5)) same (measu$5 or calculat$5)) and availab$6 near5 (database or data adj1 base or storage or record)) and (load$5 or workload) near5 (increas$4 or decreas$5 or reduc$5)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 20:13
43	23	((((server or node or application) with (availability or high$5 near1 availab$5)) same (measu$5 or calculat$5)) and availab$6 near5 (database or data adj1 base or storage or record)) and availability near1 time	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 20:19
44	18	(((((server or node or application) with (availability or high$5 near1 availab$5)) same (measu$5 or calculat$5)) and availab$6 near5 (database or data adj1 base or storage or record)) and availability near1 time) and (notif$6 or alive or heart?beat or heartbeat or hello or period or time?stamp or signal or time or interval or seconds) near5 (var$5 or adjust$5 or increas$5 or decreas$5 or modif$6)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 20:20

45	25	((((server or node or application) with (availability or high$5 near1 availab$5)) same (measu$5 or calculat$5)) and availab$6 near5 (database or data adj1 base or storage or record)) and availability near1 (tim$3 or period or interval or difference or signal or message)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 20:20
46	20	(((((server or node or application) with (availability or high$5 near1 availab$5)) same (measu$5 or calculat$5)) and availab$6 near5 (database or data adj1 base or storage or record)) and availability near1 (tim$3 or period or interval or difference or signal or message)) and (notif$6 or alive or heart?beat or heartbeat or hello or period or time?stamp or signal or time or interval or seconds) near5 (var$5 or adjust$5 or increas$5 or decreas$5 or modif$6)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 20:24
47	2054178	(load$5 or workload$5) nea2 server	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 20:27
48	0	(((((server or node or application) with (availability or high$5 near1 availab$5)) same (measu$5 or calculat$5)) and availab$6 near5 (database or data adj1 base or storage or record)) and availability near1 (tim$3 or period or interval or difference or signal or message)) and (notif$6 or alive or heart?beat or heartbeat or hello) near4 (period or time?stamp or time or interval or notification) near5 (var$5 or adjust$5 or increas$5 or decreas$5 or modif$6)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 20:25
49	299	((load$5 or workload$5) nea2 server) and (notif$6 or alive or heart?beat or heartbeat or hello) near4 (period or time?stamp or time or interval or notification) near5 (var$5 or adjust$5 or increas$5 or decreas$5 or modif$6)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 20:30
50	14	((server or node or application) with (availability or high$5 near1 availab$5)) and (((load$5 or workload$5) nea2 server) and (notif$6 or alive or heart?beat or heartbeat or hello) near4 (period or time?stamp or time or interval or notification) near5 (var$5 or adjust$5 or increas$5 or decreas$5 or modif$6))	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 20:28
51	2054178	(load$5 or workload$5) neae2 server	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 20:28
52	8383	(load$5 or workload$5) near2 server	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 20:31
53	16	((load$5 or workload$5) near2 server) and (notif$6 or alive or heart?beat or heartbeat or hello) near4 (period or time?stamp or time or interval or notification) near5 (var$5 or adjust$5 or increas$5 or decreas$5 or modif$6)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 20:28

54	2	((server or node or application) with (availability or high$5 near1 availab$5)) and (((load$5 or workload$5) near2 server) and (notif$6 or alive or heart?beat or heartbeat or hello) near4 (period or time?stamp or time or interval or notification) near5 (var$5 or adjust$5 or increas$5 or decreas$5 or modif$6))	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 20:29
55	28725	714/$.ccls.	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 20:29
56	29570	709/$.ccls.	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 20:30
57	57155	714/$.ccls. or 709/$.ccls.	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 20:30
58	59	(714/$.ccls. or 709/$.ccls.) and (notif$6 or alive or heart?beat or heartbeat or hello) near4 (period or time?stamp or time or interval or notification) near5 (var$5 or adjust$5 or increas$5 or decreas$5 or modif$6)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 21:03
59	14	((714/$.ccls. or 709/$.ccls.) and (notif$6 or alive or heart?beat or heartbeat or hello) near4 (period or time?stamp or time or interval or notification) near5 (var$5 or adjust$5 or increas$5 or decreas$5 or modif$6)) and (load$5 or workload$5 or utilzation or usage) near2 (node or application or utilzation or usage or server)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 20:32
60	14202	(714/$.ccls. or 709/$.ccls.) and (period or time?stamp or time or interval or notification) near5 (var$5 or adjust$5 or increas$5 or decreas$5 or modif$6)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 20:52
61	14	(((714/$.ccls. or 709/$.ccls.) and (notif$6 or alive or heart?beat or heartbeat or hello) near4 (period or time?stamp or time or interval or notification) near5 (var$5 or adjust$5 or increas$5 or decreas$5 or modif$6)) and (load$5 or workload$5 or utilzation or usage) near2 (node or application or utilzation or usage or server)) and (period or time?stamp or time or interval or notification) near5 (var$5 or adjust$5 or increas$5 or decreas$5 or modif$6)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 20:52
62	57	((714/$.ccls. or 709/$.ccls.) and (notif$6 or alive or heart?beat or heartbeat or hello) near4 (period or time?stamp or time or interval or notification) near5 (var$5 or adjust$5 or increas$5 or decreas$5 or modif$6)) and (period or time?stamp or time or interval or notification) near5 (var$5 or adjust$5 or increas$5 or decreas$5 or modif$6)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 21:04

63	14	(((714/$.ccls. or 709/$.ccls.) and (notif$6 or alive or heart?beat or heartbeat or hello) near4 (period or time?stamp or time or interval or notification) near5 (var$5 or adjust$5 or increas$5 or decreas$5 or modif$6)) and (load$5 or workload$5 or utilzation or usage) near2 (node or application or utilzation or usage or server)) and (((714/$.ccls. or 709/$.ccls.) and (notif$6 or alive or heart?beat or heartbeat or hello) near4 (period or time?stamp or time or interval or notification) near5 (var$5 or adjust$5 or increas$5 or decreas$5 or modif$6)) and (period or time?stamp or time or interval or notification) near5 (var$5 or adjust$5 or increas$5 or decreas$5 or modif$6))	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 20:53
64	968	(measu$5 or calculat$5) near5 (avail$7 or high$5 adj1 availab$6 or HA) near5 (network$3 or server$1 or node$1 or cluster or distributed or application)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 21:05
65	0	((measu$5 or calculat$5) near5 (avail$7 or high$5 adj1 availab$6 or HA) near5 (network$3 or server$1 or node$1 or cluster or distributed or application)) and (notif$6 or alive or heart?beat or heartbeat or hello) near4 (period or time?stamp or time or interval or notification) near5 (var$5 or adjust$5 or increas$5 or decreas$5 or modif$6)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 21:04
66	10	((measu$5 or calculat$5) near5 (avail$7 or high$5 adj1 availab$6 or HA) near5 (network$3 or server$1 or node$1 or cluster or distributed or application)) and (notif$6 or alive or heart?beat or heartbeat or hello) near5 (var$5 or adjust$5 or increas$5 or decreas$5 or modif$6)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 21:04
67	431	((measu$5 or calculat$5) near5 (avail$7 or high$5 adj1 availab$6 or HA) near5 (network$3 or server$1 or node$1 or cluster or distributed or application)) and (period or time?stamp or time or interval or notification) near5 (var$5 or adjust$5 or increas$5 or decreas$5 or modif$6)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 21:07
68	97	(((measu$5 or calculat$5) near5 (avail$7 or high$5 adj1 availab$6 or HA) near5 (network$3 or server$1 or node$1 or cluster or distributed or application)) and (period or time?stamp or time or interval or notification) near5 (var$5 or adjust$5 or increas$5 or decreas$5 or modif$6)) and (load$5 or workload$4 or usage or utilization or traffic) near5 (network$3 or server$1 or node$1 or cluster or distributed or application) near5 (var$5 or adjust$5 or increas$5 or decreas$5 or modif$6)	USPAT; US-PGPUB; EPO; DERWENT	2004/07/03 21:06

| 69 | 73 | ((((measu$5 or calculat$5) near5 (avail$7 or high$5 adj1 availab$6 or HA) near5 (network$3 or server$1 or node$1 or cluster or distributed or application)) and (period or time?stamp or time or interval or notification) near5 (var$5 or adjust$5 or increas$5 or decreas$5 or modif$6)) and (load$5 or workload$4 or usage or utilization or traffic) near5 (network$3 or server$1 or node$1 or cluster or distributed or application) near5 (var$5 or adjust$5 or increas$5 or decreas$5 or modif$6)) and (period or time?stamp or time or interval or notification or signal or message) near3 (notif$6 or alive or heart?beat or heartbeat or hello or signal or message) | USPAT; US-PGPUB; EPO; DERWENT | 2004/07/03 21:07 |
| 70 | 57 | (((((measu$5 or calculat$5) near5 (avail$7 or high$5 adj1 availab$6 or HA) near5 (network$3 or server$1 or node$1 or cluster or distributed or application)) and (period or time?stamp or time or interval or notification) near5 (var$5 or adjust$5 or increas$5 or decreas$5 or modif$6)) and (load$5 or workload$4 or usage or utilization or traffic) near5 (network$3 or server$1 or node$1 or cluster or distributed or application) near5 (var$5 or adjust$5 or increas$5 or decreas$5 or modif$6)) and (period or time?stamp or time or interval or notification or signal or message) near3 (notif$6 or alive or heart?beat or heartbeat or hello or signal or message)) and @ad<20000517 | USPAT; US-PGPUB; EPO; DERWENT | 2004/07/03 21:08 |